

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US



SECTION 1: Identification

1.1. Identification

Product identifier: Deep Clean™ Fuel System Cleaner

Product type & form: Mixture, liquid

Other means of identification: 10512, 10575

1.2. Recommended use and restriction on use

Use of the substance/mixture: Diesel fuel system cleaner

Restrictions on use: Use only per manufacturer's directions

1.3. Details of the supplier of the safety data sheet

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN 47112 USA
Toll Free: (800) 342-2512
Tel: (951) 270-0154
www.LucasOil.com

Emergency telephone numbers: ChemTel 24 hrs/day, 365 days/year
1-800-255-3924 (USA, Canada, Puerto Rico, US Virgin Islands)
1-813-248-0585 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Flammable Liquid -- category 4
Aspiration Toxicity -- category 1
Skin Corrosion/Irritation -- category 2
Eye Damage/Irritation -- category 2B

2.2. Label elements (GHS)

Hazard pictograms:



Signal word: Danger

Hazard statements:

H227 - Combustible liquid.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 - Wash thoroughly after handling.
P280 - Wear eye protection, protective gloves.
P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER / doctor. Do NOT induce vomiting.
P302+P352+P332+P313 - IF ON SKIN: Wash with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash before reuse.
P370+P378 - In case of fire: Use carbon dioxide (CO2), Dry chemical,

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US

foam to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards which do not result in GHS classification

None identified.

SECTION 3: Composition/information on ingredients

3.1. Product type: Mixture

3.2. Hazardous ingredients

Chemical Name	Chemical Identifier	% (w/w)	GHS classification
Distillates (petroleum), hydrotreated light	CAS # 64742-47-8	60 – 80	Flam. Liq. 4, H227 Asp. Tox. 1, H304
Monoalkylaryl alkoxyate aminated	Confidential	10 - 30	Skin Irr. 2, H315 Eye Irr. 2B, H319

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret or due to batch variation.

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Instructions

If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person.

Inhalation: Remove person to fresh air and keep comfortable for breathing.

Skin contact: Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

Eye contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Risk of aspiration pneumonia. If vomiting occurs have person lean forward.

4.2. Most important symptoms and effects, both acute and delayed

After ingestion: May be fatal if swallowed and enters airways. Abdominal cramps. Risk of aspiration pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable media: Carbon dioxide. Dry chemical. Foam.

Unsuitable media: Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire: Combustible liquid. Flammable vapours may accumulate in the container. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.

Explosion: May form flammable/explosive vapour-air mixture. Flammable vapours heavier than air/can accumulate and travel to a source of ignition.

Reactivity: No dangerous reactions known.

5.3. Advice for firefighters

Instructions: Cool adjacent structures and containers with water spray to protect and prevent ignition.

Personal Protection: Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Avoid all eye and skin contact and do not breathe vapour and mist. Evacuate unnecessary personnel. Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Do not discharge into drains or the environment.

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US

6.3. Methods and material for containment and cleaning up

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak if safe to do so. Absorb and/or contain spill with inert material, then place in suitable container for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from sources of ignition. - No smoking. Flammable vapours heavier than air/can accumulate. Vapour could travel to source of ignition and flash back. Handle empty containers with care because residual vapours are flammable. Avoid eye and skin contact with material and do not breathe vapour/mist. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions: Keep in fireproof place. Keep container closed when not in use. Keep away from heat, sparks and sources of ignition. Store in a dry, cool, well-ventilated area.

Incompatible products: Oxidizers. Keep away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Deep Clean Fuel System Cleaner	
ACGIH	Not established
OSHA	Not established
Distillates (petroleum), hydrotreated light (64742-47-8)	
Oil mist, mineral	OSHA PEL (United States). TWA: 5 mg/ m ³ Manufacturer (United States). TWA: 100 ppm 8 hours. Form: All forms.

8.2. Exposure controls

Engineering controls: Avoid splashing. Ensure good ventilation in the area where used.

Personal protection: Avoid all unnecessary exposure.

Hand / skin: Use rubber, nitrile, or neoprene gloves.

Eyes: Chemical goggles or safety glasses.

Respiratory: No special respiratory protection equipment is recommended under normal conditions of use. Where exposure through inhalation may occur during use, respiratory protection equipment is recommended.

Environmental: Prevent leakage or spillage. Prevent contaminated water run-off.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state / form:	Liquid
Colour:	Clear, Light yellow.
Odour:	Petroleum
Odour threshold:	No data available
pH:	Not applicable
Melting point:	Not applicable
Freezing point:	Not applicable
Boiling point:	No data available
Flash point:	> 73.3 °C
Evaporation rate (BuAc=1):	No data available
Flammability (solid, gas):	Not applicable

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US

Explosive limits:	No data available
Explosive properties:	No data available
Oxidising properties:	Not applicable
Vapour pressure:	No data available
Relative density:	0.8404
Vapour density (20 °C):	No data available
Solubility:	Insoluble in water.
Log Pow:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	5.2 cSt @ 40 °C
Viscosity, dynamic:	No data available

9.2 Other information: No additional information available.

SECTION 10: Stability and reactivity

- 10.1. Reactivity:** None known. Hazardous polymerization not known to occur.
- 10.2. Chemical stability:** Combustible liquid. Vapor may form flammable/explosive mixture with air.
- 10.3. Conditions to avoid:** Heat, sparks, other sources of ignition. Direct sunlight.
- 10.4. Incompatible with:** Oxidizers.
- 10.5. Combustion / decomposition products:**
Incomplete combustion will generate: carbon oxides (CO, CO₂), aldehydes, hydrogen sulphide, mercaptans.
Hazardous decomposition is not known to occur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure:

Ingestion:	May be fatal if swallowed and enters airways.
Inhalation:	Product does not meet criteria for hazards via this route.
Skin/Eye contact:	Causes skin and serious eye irritation.

Acute toxicity: Product not classified, per GHS criteria.

Distillates (petroleum), hydrotreated light (64742-47-8)	
Oral LD50 - rat	> 5000 mg/kg
Dermal LD50 - rabbit	> 2000 mg/kg

Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	Product not classified, per GHS criteria.
Aspiration hazard:	May be fatal if swallowed and enters airways. Symptoms following ingestion may include abdominal cramps and aspiration pneumonia.
Specific target organ toxicity:	
Single exposure:	Product not classified, per GHS criteria.
Repeated exposure:	Product not classified, per GHS criteria.
Carcinogenicity:	Product contains no ingredients known to be classified by IARC, NTP or OSHA.
Germ cell mutagenicity:	Product not classified, per GHS criteria.
Reproductive toxicity:	Product not classified, per GHS criteria.

SECTION 12: Ecological information

- 12.1. Toxicity:**
No ecotoxicological data about this product are known.
- 12.2. Persistence and degradability:** No data available for this product.
- 12.3. Bioaccumulative potential:** No data available for this product.

Distillates (petroleum), hydrotreated light (64742-47-8)	
Log Kow	2.1 - 5

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US

Bioaccumulative potential

Bioaccumulative potential.

- 12.4. **Mobility in soil:** No data available for this product.
12.5. **Other adverse effects:** No additional information available.

SECTION 13: Disposal considerations

13.1. Recommended instructions

Do not dispose of product into sewer, septic, or water treatment systems. Waste product and container may be hazardous waste, dispose in a safe manner in accordance with local, regional, and national regulations. Handle empty containers with care because residual product vapours may be flammable.

SECTION 14: Transport information

14.1. US Department of Transportation (DOT):

Note: The flashpoint of this formulation meets the current DOT criteria as a "Combustible" liquid. The products represented by this SDS are packaged in non-bulk containers (by DOT definition); therefore, this product is NOT currently regulated under 49CFR.

UN/NA number: NA1993
Proper Shipping Name: Combustible liquid, n.o.s. (Distillates, petroleum hydrotreated light)
Hazard class(es): 3 – Flammable and combustible liquid
Packing group: III – Minor Danger
Emergency response guide #: 128

- 14.2. **Canada Dangerous Goods (TDG):** Not currently regulated.
14.3. **Transport by sea (IMDG):** Not currently regulated.
14.4. **Air transport (IATA):** Not recommended. Contact supplier for more information.

SECTION 15: Regulatory information

15.1. US Federal regulations

All substances known present in this product are listed on the active TSCA inventory or are exempt.
This product is not known to contain any substances which require export notification under TSCA Section 12(b).

15.2. International regulations

All substances known present in this product are listed or are exempt from listing/notification in the following countries:

Canada – DSL
Australia – AICS
Korea – KECI
New Zealand – NZIoC
Philippines – PICCS
Taiwan - TCSCA

15.3. US State regulations

California Proposition 65: No label warning required based on available information.

SECTION 16: Other information

- 16.1. **Date of preparation:** 9/30/2024
16.2. **Version:** 2.0
16.3. **Data sources:** ACGIH (American Conference of Government Industrial Hygienists).
Component Supplier SDSs.
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", 5th Edition.
Manufacturer information & Professional/technical judgment.
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.
OSHA 29CFR 1910.1200 Hazard Communication Standard.
- 16.4. **Abbreviations and acronyms:**

Deep Clean™ Fuel System Cleaner

Safety Data Sheet

Date of issue: 9/30/2024

Version: GHS-US

ATE: Acute Toxicity Estimate.

CAS: Chemical Abstracts Service number.

EC50: Environmental Concentration associated with a response by 50% of the test population.

GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).

LD50: Lethal Dose for 50% of the test population.

NFPA: National Fire Protection Association

OSHA: Occupational Safety & Health Administration.

STEL: Short Term Exposure Limits.

TSCA: Toxic Substances Control Act.

TWA: Time Weighted Average.


SECTION 16: Other information

16.5. Full text of H-statements:

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation.
H319	Causes serious eye irritation.

16.6. Other information:

- NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
- NFPA fire hazard: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
- NFPA reactivity: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product.