

**SECTION 1 Identification****1.1. GHS Product identifier**

Product form : Mixture  
Product name : Heavy Duty Oil Stabilizer  
Type of product : Lubricating oil  
Part Number : 20001

**1.2. Other means of identification**

No additional information available

**1.3. Recommended use of the chemical and restrictions on use**

Use of the substance/mixture : Lubricants and additives  
Recommended use : Lubricants and additives  
Restrictions on use : No additional information available

**1.4. Supplier's details**

Lucas Oil Products, Inc.  
3199 Harrison Way NW  
Corydon, IN 47112  
USA  
T 800-342-2512  
[sds@lucasoil.com](mailto:sds@lucasoil.com) - [www.LucasOil.com](http://www.LucasOil.com)

**1.5. Emergency phone number**

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week  
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924  
International: 1-813-248-0585  
(collect calls accepted)

**SECTION 2 Hazard identification****2.1. Classification of the substance or mixture****Classification (GHS CA)**

Not classified

**2.2. GHS label elements, including precautionary statements****GHS CA labelling**

No labelling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**SECTION 3 Composition/information on ingredients****3.1. Substances**

Not applicable

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### 3.2. Mixtures

| Name   | Chemical name / Synonyms  | Product identifier  | %        | Classification (GHS CA) |
|--|---|---------------------|----------|-------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | Distillates (petroleum), hydrotreated heavy paraffinic distillates (petroleum), hydrotreated heavy paraffinic | CAS-No.: 64742-54-7 | 10 - 30* | Asp. Tox. 1, H304       |
| Paraffin oils (petroleum), catalytic dewaxed heavy     | Paraffin oils (petroleum), catalytic dewaxed heavy<br>Paraffin oils (petroleum), catalytic dewaxed heavy      | CAS-No.: 64742-70-7 | 15 - 40* | Asp. Tox. 1, H304       |

\*Chemical name, CAS number and/or exact concentration have been withheld as CBI

\*Contains fixed concentration

## SECTION 4 First-aid measures

### 4.1. Description of necessary first-aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.                |
| First-aid measures after skin contact | : Get medical attention if symptoms occur. Wash skin with plenty of water.  |
| First-aid measures after eye contact  | : Remove contact lenses, if present and easy to do. Continue rinsing. When in doubt or if symptoms are observed, get medical advice. Rinse eyes with water as a precaution. |
| First-aid measures after ingestion    | : Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.           |
| First-aid measures general            | : If you feel unwell, seek medical advice.  |
| Self protection of the first-aiders   | : First aid workers will be equipped with suitable personal protective equipment.   |

### 4.2. Most important symptoms/effects, acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                          |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 5 Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard. In case of fire and/or explosion do not breathe fumes.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

#### 5.3. Special protective actions for fire-fighters

Firefighting instructions : Evacuate area. Eliminate all ignition sources if safe to do so. Fight fire from safe distance and protected location. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.  
Environmental precautions : Avoid release to the environment.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material. Move containers from fire area if it can be done without personal risk. Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean contaminated surfaces with an excess of water.  
Other information : Dispose of materials or solid residues at an authorized site.  
For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Do not breathe vapours. Avoid contact with skin and eyes.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.  
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep only in original container. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers.

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Packaging materials : Store always product in container of same material as original container.

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety procedures. Ensure exposure is below occupational exposure limits (where available). Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

##### Personal protective equipment:

Wear recommended personal protective equipment.

##### Hand protection:

Protective gloves

##### Eye protection:

If there is a risk of liquid being splashed : Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

##### Personal protective equipment symbol(s):



### SECTION 9 Physical and chemical properties

#### 9.1. Basic physical and chemical properties

Physical state : Liquid  
Appearance : No data available  
Colour : Colourless White-grey  
Odour : characteristic  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : Not applicable  
Freezing point : No data available

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

|   |                                    |
|---|------------------------------------|
| Boiling point                                   | : No data available                |
| Flash point                                     | : > 200 °C                         |
| Auto-ignition temperature                       | : No data available                |
| Decomposition temperature                       | : No data available                |
| Flammability (solid, gas)                       | : Not applicable                   |
| Vapour pressure                                 | : No data available                |
| Relative vapour density at 20°C                 | : No data available                |
| Relative density                                | : 0.877                            |
| Density   | : 7.322 lb/gal                     |
| Solubility                                      | : No data available                |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                |
| Viscosity, kinematic                            | : 1598 mm <sup>2</sup> /s @ 40 ° C |
| Explosive limits                                | : No data available                |
| Particle characteristics                        | : Particle size : Not Applicable   |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : The product is non-reactive under normal conditions of use, storage and transport.                   |
| Chemical stability                 | : Stable under normal conditions.  |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use.   |
| Conditions to avoid                | : None under recommended storage and handling conditions (see section 7).                              |
| Incompatible materials             | : Oxidizing agent.   |
| Hazardous decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Hardening time:                    | : No additional information available  |

## SECTION 11 Toxicological information

### 11.1. Likely routes of exposure

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

|                    |  |
|--------------------|--|
| LD50 oral rat      | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | > 2000 mg/kg Source: ECHA  |

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                    |                             |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

|                                   |                  |
|-----------------------------------|------------------|
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |
| STOT-repeated exposure            | : Not classified |

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7) |   |
|---|---|
| LOAEL (oral, rat, 90 days)                                      | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days)                | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)                                 |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |   |
|---|---|
| LOAEL (oral, rat, 90 days)  | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days)                    | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)                                 |

Aspiration hazard : Not classified.

| Heavy Duty Oil Stabilizer |                                  |
|---------------------------|----------------------------------|
| Viscosity, kinematic      | 1598 mm <sup>2</sup> /s @ 40 ° C |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                       |
|---|-----------------------|
| Viscosity, kinematic  | 18 mm <sup>2</sup> /s |
| Hydrocarbon   | Yes                   |
| Aliphatic, alicyclic or aromatic hydrocarbon                        | Yes                   |

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

## SECTION 12 Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified.

Hazardous to the aquatic environment, long-term (chronic) : Not classified.

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                            |
|---|----------------------------|
| LC50 - Fish [1]   | > 5000 mg/l                |
| EC50 - Crustacea [1]  | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1]  | > 1000 mg/l Source: IUCLID |

### 12.2. Persistence and degradability

| Heavy Duty Oil Stabilizer     |   |
|-------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |

| Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7) |                        |
|---|------------------------|
| Persistence and degradability                                   | Not rapidly degradable |

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                        |
|---|------------------------|
| Persistence and degradability                                       | Not rapidly degradable |

### 12.3. Bioaccumulative potential

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                        |
|---|------------------------|
| Partition coefficient n-octanol/water (Log Pow)                     | 3.9 – 6 Source: IUCLID |

### 12.4. Mobility in soil

| Heavy Duty Oil Stabilizer |                                      |
|---------------------------|--------------------------------------|
| Ecology - soil            | No additional information available. |

### 12.5. Other adverse effects

Ozone : Not classified  
Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.  
Additional information : Do not re-use empty containers.

## SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

| TDG                                       | DOT           | IMDG          | IATA          |
|---|---------------|---------------|---------------|
| <b>14.1. UN Number</b>                    |               |               |               |
| Not regulated for transport               |               |               |               |
| <b>14.2. UN Proper Shipping Name</b>      |               |               |               |
| Not regulated                             | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b>   |               |               |               |
| Not regulated                             | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group, if applicable</b> |               |               |               |
| Not regulated                             | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>        |               |               |               |
| Not regulated                             | Not regulated | Not regulated | Not regulated |
| No supplementary information available    |               |               |               |

### 14.6. Special precautions for user

**TDG**  
Not regulated

**DOT**  
Not regulated

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### IMDG

Not regulated

### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78<sup>9</sup> and the IBC Code<sup>10</sup>

Not applicable

## SECTION 15 Regulatory information

### Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

Listed on the Canadian DSL (Domestic Substances List)

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

### Heavy Duty Oil Stabilizer

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16 Other Information

Issue date : 05/09/2025  
Revision date : 10/31/2025  
Supersedes : 09/24/2025

Data sources : Supplier's safety documents.  
Training advice : Training staff on good practice.

### Full text of hazard classes and H-statements:

|      |  |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
|------|--|

### Abbreviations and acronyms:

|       |   |
|-------|---|
| ACGIH | American Conference of Government Industrial Hygienists   |
| ADN   | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR   | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE   | Acute Toxicity Estimate   |

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| BCF                         | Bioconcentration factor  |
| BLV                         | Biological limit value   |
| BOD                         | Biochemical oxygen demand (BOD)  |
| CAS-No.                     | Chemical Abstract Service number   |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  |
| COD                         | Chemical oxygen demand (COD)   |
| CSA                         | Chemical safety assessment   |
| DMEL                        | Derived Minimal Effect level   |
| DNEL                        | Derived-No Effect Level  |
| EC-No.                      | European Community number  |
| EC50                        | Median effective concentration   |
| ED                          | Endocrine disruptor  |
| EN                          | European Standard  |
| EWC                         | European waste catalogue   |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration  |
| LD50                        | Median lethal dose   |
| LOAEL                       | Lowest Observed Adverse Effect Level   |
| Log Kow                     | Partition coefficient n-octanol/water (Log Kow)                              |
| Log Pow                     | Partition coefficient n-octanol/water (Log Pow)                              |
| MAK                         | maximum workplace concentration  |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level   |
| NOEC                        | No-Observed Effect Concentration   |
| N.O.S.                      | Not Otherwise Specified  |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit  |
| OSHA                        | Occupational Safety & Health Administration                                  |
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| PPE                         | Personal protection equipment  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |

# Heavy Duty Oil Stabilizer

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| TF                          | Technical function                       |
| ThOD                        | Theoretical oxygen demand (ThOD)         |
| TLM                         | Median Tolerance Limit                   |
| TWA                         | Time Weighted Average                    |
| VOC                         | Volatile Organic Compounds               |
| vPvB                        | Very Persistent and Very Bioaccumulative |
| UFI                         | Unique Formula Identifier                |

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.