

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 06/26/2025 Revision date: 01/26/2026 Supersedes: 01/21/2026 Version: 4.0

SECTION 1 Identification**1.1. GHS Product identifier**

Product form : Mixture
Product name : SAE 20W-50 Racing Engine Motor Oil
Part Number : 20621

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricating oil

1.4. Supplier's details

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN 47112
USA
T 800-342-2512
sds@lucasoil.com - www.LucasOil.com

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924
International: 1-813-248-0585
(collect calls accepted)

SECTION 2 Hazard identification**2.1. Classification of the substance or mixture****Classification (GHS CA)**

| | | |
|--|------|--|
| Skin sensitization, Category 1 | H317 | May cause an allergic skin reaction. |
| Reproductive toxicity, Category 2 | H361 | Suspected of damaging fertility or the unborn child. |
| Hazardous to the aquatic environment, Acute Hazard, Category 3 | H402 | Harmful to aquatic life. |
| Hazardous to the aquatic environment, Chronic Hazard, Category 3 | H412 | Harmful to aquatic life with long lasting effects. |

Full text of H-statements: see section 16

2.2. GHS label elements, including precautionary statements**GHS CA labelling**

Hazard pictograms (GHS CA) : 

Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : H317 - May cause an allergic skin reaction
H361 - Suspected of damaging fertility or the unborn child
H402 - Harmful to aquatic life
H412 - Harmful to aquatic life with long lasting effects

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P308+P313 - IF exposed or concerned: Get medical advice or attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|--|---|---------------------|----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic | Distillates (petroleum), hydrotreated heavy paraffinic distillates (petroleum), hydrotreated heavy paraffinic | CAS-No.: 64742-54-7 | 65 - 85* | Asp. Tox. 1, H304 |
| 2,5-Furandione, dihydro-, polybutenyl derivs., reaction products with tetraethylenepentamine | Polybutenyl succinic anhydride, tetraethylene pentamine reaction product | CAS-No.: 68583-75-5 | 3 - 7* | Aquatic Chronic 4, H413 |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts | Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts | CAS-No.: 84605-29-8 | 1 - 5* | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 3, H402 Aquatic Chronic 2, H411 |

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|---|---|---------------------|------------|---|
| Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-kappaS,kappaS']dioxodi-mu-thioxodi-, (Mo-Mo) | Molybdenum, bis[O,O-bis(2-ethylhexyl)phosphorodithioato-S]dioxodi-mu-thioxodi-Molybdenum Diakylidithiophosphate(MoDDP); Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized; Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized; Molybdenum, bis(o-bis(2-ethylhexyl) phosphorodithioate, ks, ks; Phosphorodithioic acid, O,O-bis(2-ethylhexyl) ester, molybdenum complex; bis[o, o-bis(2-ethylhexyl)phosphorodithioato-s, s']dioxodi-mu-thioxodi-molybdenum; Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S, S']dioxodi-mu-thioxodi-, (Mo-Mo); Molybdenum, bisO,O-bis(2-ethylhexyl) phosphorodithioato-kappa.S., kappa.Sdioxodi-.mu.-thioxodi-, (Mo-Mo) / Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized | CAS-No.: 72030-25-2 | 0.5 - 1.5* | Skin Irrit. 2, H315 Skin Sens. 1, H317 |

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|---|--|---------------------|------------|---|
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | CAS-No.: 68411-46-1 | 0.5 - 1.5* | Repr. 2, H361 Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |

*Chemical name, CAS number and/or exact concentration have been withheld as CBI

*Contains fixed concentration

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. |
| Self protection of the first-aiders | : First aid workers will be equipped with suitable personal protective equipment. |

4.2. Most important symptoms/effects, acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : None under normal conditions. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : None under normal conditions. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

| | |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|--|--------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Special protective actions for fire-fighters

| | |
|---------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
|---------------------------|---|

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.
For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up.
Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| |
|------------------------|
| Eye protection: |
| Safety glasses |

| |
|-----------------------------------|
| Skin and body protection: |
| Wear suitable protective clothing |

| |
|--|
| Respiratory protection: |
| [In case of inadequate ventilation] wear respiratory protection. |

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|--|
| Physical state | : Liquid |
| Appearance | : No data available |
| Colour | : Mixture contains one or more component(s) which have the following colour(s): Colourless White to grey Yellow |
| Odour | : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Characteristic odour Almost odourless Mild odour Odourless |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 200 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : 0.879 |
| Density | : 7.3409 lb/gal |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : 146.6 mm ² /s @ 40 ° C |
| Explosive limits | : No data available |
| Particle characteristics | : No data available |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 10 Stability and reactivity

| | |
|------------------------------------|--|
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use. |
| Conditions to avoid | : None under recommended storage and handling conditions (see section 7). |
| Incompatible materials | : No additional information available |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Hardening time: | : No additional information available |

SECTION 11 Toxicological information

11.1. Likely routes of exposure

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

| | |
|---------------------------------|--|
| LD50 oral rat | 3100 mg/kg Source: ECHA |
| LD50 dermal rat | > 2002 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LD50 dermal rabbit | > 2002 mg/kg Source: ECHA |
| LC50 Inhalation - Rat | > 2.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| LC50 Inhalation - Rat (Vapours) | > 2.3 mg/l Source: ECHA |
| ATE CA (oral) | 3100 mg/kg bodyweight |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|-----------------|---|
| LD50 oral rat | > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rat, Male / female, Experimental value, Skin) |

| | |
|---------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
|---------------------------|------------------|

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|----|-----------------------------|
| pH | 5.1 – 6.2 (1 %, 20 - 25 °C) |
|----|-----------------------------|

| | |
|-------------------------------|------------------|
| Serious eye damage/irritation | : Not classified |
|-------------------------------|------------------|

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|----|-----------------------------|
| pH | 5.1 – 6.2 (1 %, 20 - 25 °C) |
|----|-----------------------------|

| | |
|-----------------------------------|--|
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|-------------------------|--|
| NOAEL (animal/male, F1) | 54 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study) |
|-------------------------|--|

| | |
|----------------------|------------------|
| STOT-single exposure | : Not classified |
|----------------------|------------------|

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

STOT-repeated exposure : Not classified

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) | |
|--|---|
| NOAEL (oral, rat, 90 days) | 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|---|--|
| NOAEL (oral, rat, 90 days) | 25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |

Aspiration hazard : Not classified.

| SAE 20W-50 Racing Engine Motor Oil | |
|---|-----------------------------------|
| Viscosity, kinematic | 146.6 mm ² /s @ 40 ° C |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|-----------------------|
| Viscosity, kinematic | 18 mm ² /s |
| Hydrocarbon | Yes |
| Aliphatic, alicyclic or aromatic hydrocarbon | Yes |

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|---|--|
| Viscosity, kinematic | 353 mm ² /s (40 °C, OECD 114: Viscosity of Liquids) |

Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : May cause an allergic skin reaction.
Symptoms/effects after eye contact : None under normal conditions.
Symptoms/effects after ingestion : None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|----------------------------|
| LC50 - Fish [1] | > 5000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1] | > 1000 mg/l Source: IUCLID |

| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) | |
|--|---|
| LC50 - Fish [1] | 46 mg/l Test organisms (species): Cyprinodon variegatus |
| LC50 - Fish [2] | 46 mg/l Test organisms (species): |

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|---|---|
| LC50 - Fish [1] | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 51 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |
| ErC50 algae | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

12.2. Persistence and degradability

| SAE 20W-50 Racing Engine Motor Oil | |
|---|-------------------------------------|
| Persistence and degradability | Not rapidly degradable |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| Persistence and degradability | Not rapidly degradable |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) | |
| Persistence and degradability | Not rapidly degradable |
| Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-kappaS,kappaS']dioxodi-mu-thioxodi-, (Mo-Mo) (72030-25-2) | |
| Persistence and degradability | Not rapidly degradable |
| 2,5-Furandione, dihydro-, polybutenyl derivs., reaction products with tetraethylenepentamine (68583-75-5) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
| Persistence and degradability | Not readily biodegradable in water. |

12.3. Bioaccumulative potential

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 – 6 Source: IUCLID |
| Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8) | |
| Partition coefficient n-octanol/water (Log Pow) | 0.56 Source: ECHA |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq BCF \leq 5000$). |
| BCF - Fish [1] | 1730 (42 day(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across, GLP) |
| Partition coefficient n-octanol/water (Log Pow) | 6.66 (Experimental value, OECD 123: Partition Coefficient (1-Octanol/Water): Slow-Stirring Method, 23 °C) |

12.4. Mobility in soil

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1) | |
|---|------------------------|
| Mobility in soil | 60460 Source: EPISUITE |
| Ecology - soil | Adsorbs into the soil. |

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

| | |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.754 – 8.947 (log Koc, SRC PCKOCWIN v2.0, QSAR) |
|--|--|

12.5. Other adverse effects

| | |
|------------------------------|------------------|
| Ozone | : Not classified |
| Fluorinated greenhouse gases | : No |

SECTION 13 Disposal considerations

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

| TDG | DOT | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN Number | | | |
| Not regulated for transport | | | |
| 14.2. UN Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group, if applicable | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Special precautions for user

TDG
Not regulated

DOT
Not regulated

IMDG
Not regulated

IATA
Not regulated

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Listed on the Canadian DSL (Domestic Substances List)

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-kappaS,kappaS']dioxodi-mu-thioxodi-, (Mo-Mo) (72030-25-2)

Listed on the Canadian DSL (Domestic Substances List)

2,5-Furandione, dihydro-, polybutenyl derivs., reaction products with tetraethylenepentamine (68583-75-5)

Listed on the Canadian DSL (Domestic Substances List)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Listed on the Canadian DSL (Domestic Substances List)

SAE 20W-50 Racing Engine Motor Oil

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-kappaS,kappaS']dioxodi-mu-thioxodi-, (Mo-Mo) (72030-25-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

2,5-Furandione, dihydro-, polybutenyl derivs., reaction products with tetraethylenepentamine (68583-75-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SAE 20W-50 Racing Engine Motor Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 16 Other Information

Issue date : 06/26/2025
Revision date : 01/26/2026
Supersedes : 01/21/2026

| Full text of hazard classes and H-statements: | |
|---|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H361 | Suspected of damaging fertility or the unborn child |
| H402 | Harmful to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| H413 | May cause long lasting harmful effects to aquatic life |

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.