

SECTION 1 Identification**1.1. GHS Product identifier**

Product form : Mixture
Product name : Synthetic SAE 10W-30 Motorcycle Oil
Part Number : 20708

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricating oil

1.4. Supplier's details

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN 47112
USA
T 800-342-2512
sds@lucasoil.com - www.LucasOil.com

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week. Within USA, Canada, Puerto Rico & US Virgin Islands: 1-800-255-3924. International: 1-813-248-0585 (collect calls accepted). Australia: 1-300-954-583. Brazil: 0-800-591-6042. China: 400-120-0751. India: 000-800-100-4086. Mexico: 800-099-0731.

SECTION 2 Hazard identification**2.1. Classification of the substance or mixture****Classification (GHS CA)**

| | | |
|---|------|--|
| Serious eye damage/eye irritation, Category 2 | H319 | Causes serious eye irritation. |
| Skin sensitization, Category 1 | H317 | May cause an allergic skin reaction. |
| Reproductive toxicity, Category 2 | H361 | Suspected of damaging fertility or the unborn child. |

Full text of H-statements: see section 16

2.2. GHS label elements, including precautionary statements**GHS CA labelling**

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS CA) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice or attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|--|--|---------------------|----------|--|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | Lubricating oils (petroleum), (C=20-50) hydrotreated neutral oil-based Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | CAS-No.: 72623-87-1 | 65 - 85* | Asp. Tox. 1, H304 |
| Distillates (petroleum), hydrotreated heavy paraffinic | Distillates (petroleum), hydrotreated heavy paraffinic distillates (petroleum), hydrotreated heavy paraffinic | CAS-No.: 64742-54-7 | 3 - 7* | Asp. Tox. 1, H304 Aquatic Chronic 4, H413 |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts | Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts | CAS-No.: 68649-42-3 | 1 - 5* | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | ar-Nonyl-N-(nonylphenyl)benzenamine | CAS-No.: 36878-20-3 | 1 - 5* | Repr. 2, H361 Aquatic Chronic 4, H413 |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|--------------------------------------|--------------------------|----------------------|------------|-------------------------|
| Calcium long chain alkaryl sulfonate | - | CAS-No.: 722503-69-7 | 0.5 - 1.5* | Skin Sens. 1, H317 |

*Chemical name, CAS number and/or exact concentration have been withheld as CBI

*Contains fixed concentration

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures general | : If you feel unwell, seek medical advice. IF exposed or concerned: Get medical advice/attention. |
| Self protection of the first-aider | : First aid workers will be equipped with suitable personal protective equipment. |

4.2. Most important symptoms/effects, acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : None under normal conditions. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

| | |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|--|--------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Special protective actions for fire-fighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
- Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.
- For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight. Store locked up.
- Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|--|
| Physical state | : Liquid |
| Appearance | : No data available |
| Colour | : Mixture contains one or more component(s) which have the following colour(s): Colourless White to grey |
| Odour | : There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Mild odour Characteristic odour Almost odourless |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 220 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : 0.853 |
| Density | : 7.126 lb/gal |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : 71.29 mm ² /s @ 40 ° C |
| Explosive limits | : No data available |
| Particle characteristics | : No data available |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

| | |
|--------------------|--|
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | : Stable under normal conditions. |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| | |
|------------------------------------|--|
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use. |
| Conditions to avoid | : None under recommended storage and handling conditions (see section 7). |
| Incompatible materials | : No additional information available |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Hardening time: | : No additional information available |

SECTION 11 Toxicological information

11.1. Likely routes of exposure

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

| | |
|-----------------------|---|
| LD50 oral rat | 3195 mg/kg Source: ECHA |
| LD50 dermal rabbit | > 3160 mg/kg Source: ECHA |
| LC50 Inhalation - Rat | > 5 mg/l air Animal: rat, Guideline: other: |
| ATE CA (oral) | 3195 mg/kg bodyweight |

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

| | |
|---------------|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
|---------------|--|

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

| | |
|--------------------|--|
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 oral | 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg Source: IUCLID |
| LD50 dermal | 5000 mg/kg |
| ATE CA (oral) | 5000 mg/kg bodyweight |
| ATE CA (Dermal) | 5000 mg/kg bodyweight |

| | |
|---------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
|---------------------------|------------------|

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

| | |
|----|---------------------------------|
| pH | 5.5 – 7.5 Concentration: 1 vol% |
|----|---------------------------------|

| | |
|-------------------------------|----------------------------------|
| Serious eye damage/irritation | : Causes serious eye irritation. |
|-------------------------------|----------------------------------|

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

| | |
|----|---------------------------------|
| pH | 5.5 – 7.5 Concentration: 1 vol% |
|----|---------------------------------|

| | |
|-----------------------------------|--|
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. |

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

| | |
|-----------------------------|--|
| NOAEL (animal/female, F0/P) | 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |
| NOAEL (animal/female, F1) | 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
|--|---|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

Aspiration hazard : Not classified.

| Synthetic SAE 10W-30 Motorcycle Oil | |
|--|-----------------------------------|
| Viscosity, kinematic | 71.29 mm ² /s @ 40 ° C |

| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3) | |
|---|--|
| Viscosity, kinematic | 9 – 15 mm ² /s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm ² /s)' |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|-----------------------|
| Viscosity, kinematic | 18 mm ² /s |
| Hydrocarbon | Yes |
| Aliphatic, alicyclic or aromatic hydrocarbon | Yes |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
|--|-----------------------|
| Viscosity, kinematic | 12 mm ² /s |
| Hydrocarbon | Yes |

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified.

Hazardous to the aquatic environment, long-term (chronic) : Not classified.

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|----------------------------|
| LC50 - Fish [1] | > 5000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1] | > 1000 mg/l Source: IUCLID |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
|--|--|
| LC50 - Fish [1] | > 0.0013 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| LC50 - Fish [1] | > 5000 mg/l Source: IUCLID |
| EC50 - Crustacea [1] | > 1000 mg/l Source: IUCLID |

12.2. Persistence and degradability

| Synthetic SAE 10W-30 Motorcycle Oil | |
|--|------------------------|
| Persistence and degradability | Not rapidly degradable |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3) | |
| Persistence and degradability | Not rapidly degradable |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
| Persistence and degradability | Not rapidly degradable |
| Calcium long chain alkaryl sulfonate (722503-69-7) | |
| Persistence and degradability | Not rapidly degradable |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| Persistence and degradability | Not rapidly degradable |

12.3. Bioaccumulative potential

| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3) | |
|--|------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 14.876 Source: ECHA |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 – 6 Source: IUCLID |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 – 6 Source: IUCLID |

12.4. Mobility in soil

| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
|--|---------------------------|
| Mobility in soil | 35900000 Source: EPISUITE |

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 13 Disposal considerations

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

| TDG | DOT | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN Number | | | |
| Not regulated for transport | | | |
| 14.2. UN Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group, if applicable | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Listed on the Canadian DSL (Domestic Substances List)

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

Listed on the Canadian DSL (Domestic Substances List)

Calcium long chain alkaryl sulfonate (722503-69-7)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Listed on the Canadian DSL (Domestic Substances List)

Synthetic SAE 10W-30 Motorcycle Oil

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Calcium long chain alkaryl sulfonate (722503-69-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

SECTION 16 Other Information

Issue date : 06/25/2025
Revision date : 05/06/2026
Supersedes : 04/28/2026

Full text of hazard classes and H-statements:

| | |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |

Synthetic SAE 10W-30 Motorcycle Oil

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Full text of hazard classes and H-statements: | |
|---|--|
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H361 | Suspected of damaging fertility or the unborn child |
| H411 | Toxic to aquatic life with long lasting effects |
| H413 | May cause long lasting harmful effects to aquatic life |

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.